Datacolor PROCESS

Installation Guide

datacolor

Datacolor MATCH^{PROCESS™} Stand-Alone Installation Guide (July,2021)

All efforts have been made to ensure the accuracy of the information presented in this format. However, should any errors be detected, Datacolor appreciates your efforts to notify us of these oversights.

Changes are periodically made to this information and are incorporated into forthcoming versions. Datacolor reserves the right to make improvements and/or changes in the product(s) and/or program(s) described in this material at any time.

© 2008 Datacolor. Datacolor, SPECTRUM and other Datacolor product trademarks are the property of Datacolor.

Microsoft and Windows are either registered trademarks of Microsoft Corporation in the United States and/or other countries.

To obtain information on local agents, contact either of the offices listed below, or visit our website at www.datacolor.com.

Support Questions?

If you need help with a Datacolor product, please contact one of our top-rated technical support teams located around the world for your convenience. You can find contact information below for the Datacolor office in your area.

Americas

+1.609.895.7465 +1.800.982.6496 (toll-free) +1.609.895.7404 (fax) NSASupport@datacolor.com

Europe

+41.44.835.3740 +41.44.835.3749 (fax) EMASupport@datacolor.com

Asia Pacific

+852.2420.8606 +852.2420.8320 (fax) ASPSupport@datacolor.com

Or Contact Your Local Representative

Datacolor has representatives in over 60 countries. For a complete list, visit <u>www.datacolor.com/locations</u>.

Manufactured by Datacolor 5 Princess Road Lawrenceville, NJ 08648 1.609.924.2189

Committed to Excellence. Dedicated to Quality. Certified to ISO 9001 in Manufacturing Centers Worldwide.

datacolor **•**

Contents

1	INSTALLATION OVERVIEW	3
		2
	SYSTEM REQUIREMENTS	5
	Before you begin4	Ļ
2	INSTALLATION PROCEDURE 4	ļ
3	VALIDATING DATACOLOR SOFTWARE12	,
5	VALIDATING DATACOLOR BOFT WARE	1

1 Installation Overview

This document describes the installation of Datacolor Software to your computer's hard disk. If you have purchased your computer from us, the software will be already installed. If you purchased your own computer, follow these instructions to install our software on your computer.

Before you begin the installation, you should have all installation USB's, and Microsoft Windows* should be properly installed on your computer.

1.1 System Requirements

The system requirements shown below are the minimum configuration to ensure effective operation of the standard Datacolor PROCESS software. Configurations below stated requirements may work but are not supported by Datacolor.

Component	Recommended	
Processor	Dual Core processor	1
Memory RAM	8 GB	1
Free Hard Drive Capacity	500 GB	1
Video Resolution	True Color	2
Available Ports	(1) RS-232 Serial (for older spectrophotometers)(3) USB	3
Operating System	Windows 10 (32 or 64 bit)	4
Email (for supported level)	Outlook 2007 or above, POP3	
Authenticated Sybase Database supplied with the system	Sybase 12.0.1. EBF 3994	
Optional Textile Database for SQL upon request	Microsoft SQL Server 2012	5
Server OS	Microsoft Server 2016	6

Notes:

datacolor

1) Minimum system configurations may limit performance, data capacity and operation of some features. Faster processor, more memory and faster hard drives will significantly enhance performance.

2) Accurate on-screen color display requires monitor calibration and true-color video mode.

3) Datacolor spectrophotometers use either an RS-232 Serial or USB connectors. Datacolor Spyder5[™] requires a universal serial bus (USB) connection.

Printer port requirements (Parallel or USB...) depend on the specific printer selected.

4) Windows 32 bit and 64 bit operating systems are supported. 64 bit hardware running Windows 32 bit operating system is supported. Datacolor Tools is a 32 bit application. 64 bit hardware running Windows 32 bit operating system is supported.

5) Microsoft SQL Server 2012 is supported on Tools textile database..

6) Windows Server 2016 is supported.

NOTE

If Sybase V12 is not installed on the system you cannot complete the installation of Datacolor PROCESS.

Before You Begin

- Microsoft Windows[®] should be properly installed on your computer.
- You must have Windows Administrator rights to install this software.
- **Restart the system before installing the software.** This removes any memory-resident modules that may interfere with the installation, and is especially important if you have been running a previous version.
- Install Sybase V12 database management software.
- Close all other programs that are running.
- Have all program installation readily available.


Important, Before You Begin! You must have Administrator Rights to install this software and you must have installed Sybase first!

2 Installation Procedure

To install Datacolor PROCESS

- 1. Place the Datacolor PROCESS USB into the port.
- 2. Select the Menu.exe


The Main Installation menu should appear automatically:



To perform a command, simply click it...



When the Main Installation Menu is displayed, choose "**Install Datacolor PROCESS**" The installation will guide you through installation.



If you are installing Datacolor PROCESS for the first time, click —**Next**II to access the Datacolor Software License Agreement dialog. You must select the acceptance radio button in order to install Datacolor PROCESS

License Agreement Please read the followir	ng license agreeme	nt carefully.)	i 🔳 🚽
Please closely read the follo license agreement?	wing license agree	ment. Do you acce	ept all the terms of	the following
ITM-Software				^
SOFTWARE LICENSE AG	REEMENT Dataco	lor Process		
IMPORTANT READ CAR THE FOLLOWING LICENS		PPLIES TO YOU.	BY OPENING TH	
This is a legal agreement be	etween you (either	an individual or an	entity) and ITM-Sc	ftware (ITM
1. GBANT OF LICENSE.				
This Software License Agre			one copy of ITM's	
🔽 Yes, I agree with all th	e terms of this licen	se agreemen !		
Datacolor				



Check the license agreement and click the —**Next**II button to proceed.

Setup types

You will now see a screen offering you several different setup options.

3.1.1 FULL

(All modules are installed on your computer.)

Setup Type Select the setup type of the application.) i 1 🛄 🛓
Full Custom	Description Full installation.
Space required on your hard disk: 169175 KB Datacolor	

Select the Setup Type to install and click - Nextl.

1.1.1 3.1.2 Custom:

Please note, this is not recommended for typical user installations.

Custom setup allows you to install specific features instead of the entire Datacolor PROCESS installation.

Click — NextII to select the shortcuts to install.

Select Components Choose the components Installation Wizard will install.	9 1 1 🔳
Application Files Help Files ITMDbUpdate	Description Main application files required to run the program
Space required on your hard disk: 99409 KB Datacolor	

At default, the installation will put Datacolor PROCESS icon on your desktop and a shortcut to start program menu.

Patacolor Process 2.3.1 setup		×
Datacolor Process 2.3.1 Shortcuts Please select which shortcuts should be created) i T 🔳	≝
Select application shortcuts to be created: Desktop Programs Menu		
Datacolor <	sk Next > Car	ncel

Click $_Next_{\parallel}$ to continue the installation.

datacolor **esta**

Destination Folder	1	à /1" 🚃 I
Click Next to install the applica different location.	ation to this folder, or click Browse to	install to a
Select the destination folder where different location, click Browse, an	e you want to install Datacolor Proces id select another folder.	ss 2.3.1. To install to a
Select Root Path		
C:\Program Files\		Browse
A COMPANY OF A COM		
Install Path		
Install Path C:\Program Files\Datacolor\Spec	trum\Datacolor Process	

Accept or browse for another location and click —**Next**II to continue the installation.

Ready to Install the Program The Installation Wizard is ready to install the Datacolor Process 2.31. (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
Press the Next button to begin the installation or the Back button to re-enter the installation	╧
- Datacolor < Back Next > Cancel	

Click _Next_{||} to continue the installation.

Setup starts transferring the files

Setup Status	9 🕯 🖀 📕 :
Please wait. Datacolor Process 2.3.1 insta	allation is in progress.
If you want to interrupt installation process working of the program is not guaranteed.	, press the Cancel button. But in this case correct
Copying file	
C:\Program Files\Datacolor\Spectrum\Da	tacolor Process\dclstd60.bpl
Datacolor	

The installation wizard asks not for an database update.

Informat	ion 💽
i	It is highly recommended to update the database at this time. Do you wish to do so now?
	Yes <u>N</u> o

Click $_$ **Yes** $_{\parallel}$ to start the database update.

ITMDbUpdate has finished updat	ing the database	4
	Using Log file : C:\Users\TESTER~1\AppData\Local\Temp\LogFiles\08.07.2010.log SectionSetUFormat successfully applied. Using Log file : C:\Users\TESTER~1\AppData\Local\Temp\LogFiles\08.07.2010.log Using Log file : C:\Users\TESTER~1\AppData\Local\Temp\LogFiles\08.07.2010.log Report found and overwritten : DyeLotForm Report found and overwritten : DyeLotForm_coupled Report found and overwritten : DyeLotForm_Pattern Report found and overwritten : DLExport Report found and overwritten : DLExport	

If you install Datacolor Process only on a client computer (no match Textile or TOOLS installed) you have to answer the question to run the database update with "No".

Informat	tion
i	It is highly recommended to update the database at this time. Do you wish to do so now?

Datacolor Process installs no database on the client computer. The ODBC settings pointing to the database server must be created manually.

Finally, the Jnstallation Complete screen display.

Datacolor Process 2.3.1 setup	
Installation Wizard	Installation Complete
	Datacolor Process 2.3.1 has been successfully installed.
	Press the Finish button to exit Setup program.
_ 	
🕜 ið 🖥 🗊	
	Finish

Click — Finish I to exit the installation.

Datacolor Process is now installed on your system!

3 Validating Datacolor Software

Datacolor Spectrum Software is protected from unauthorized use by a software license. When the software is initially installed, the software license is in a demo period that will allow access for a fixed amount of time. In order to run the software after the demo period, the software license must be validated.

There are a number of ways to validate the software. In general you will need the following information:

- 1. You will need the **Serial Number** for your software. This number is supplied by Datacolor and is found on the USB case.
- 2. You will need a **Computer Validation Number**. This number is generated by the security software and is unique to your computer.

Validation information is accessed and input in the Datacolor Validation Window shown below:

省 datacolor Security Client Ver 4	
The Unlock Response Number will updat product with new features.	e this datacolor
	300: 1 of 10 Licenses used
Internet enabled users may validate no	w by clicking on this link.
you do not have access to the internet, from the enclosed form to SoftwareLice	ease visit http://pmweb.datacolor.com. If you can email the requested information ense@Datacolor.com or phone your local toll free service in the U.S. and Canada.
1280928015	
Computer Validation N	lumber
A309281740279-71677	74
Unlock Response Num	nber
It may take up to seven days to validate yo do so as soon as possible so that you wo use of this software.	

Datacolor Tools will display the Validation Window every time it starts during the demo period. The Validation Window can be accessed from "About" window in Datacolor Tools, select "License Info".

You can validate the software in 3 ways:

- Using a Web Connection Link is on the Validation Window. Example is shown below
- E-Mail Send Serial Number and Computer Validation Number for the product to <u>SoftwareLicense@Datacolor.Com</u>. You will receive an Unlock Response Number by e-mail that you will put into the Validation Window.
- Phone In the US and Canada phone toll free 1-800-982-6496 or call you local sales office. You will need the Serial Number and the Computer Validation Number for the product. You will be given an Unlock Response Number that you will put into the Validation Window.

Г

🚰 datacolor Security Client Ver 4 📃 🔳 🗙		
The Unlock Response Number will update this product with new features. 300: 1 of 10 Licenses used Internet enabled users may validate now by clicking on this link. Otherwise, to validate your software, please visit http://pmweb.datacolor.com. If you do not have access to the internet, you can enail the requested information from the enclosed form to SoftwareLicense@Datacolor.com or phone your local sales office or dial 1-800-982-6496 for toll free service in the U.S. and canada. Serial Number 1280928015 Computer Validation Number		Type the Serial Number for the product into this field. Tip: To avoid retyping this number later, highlight the number and then copy it to the clipboard using the Ctrl- C command.
A309281740279-7167774	$\left \right $	Click the link to go to the
Unlock Response Number		Datacolor Software Validation Web Service.
It may take up to seven days to validate your software. Please do so as soon as possible so that you won't be without the use of this software.		


Welcome to Da	tacolor's software validation web service. To	Type a contact name in the First Name and Last Name fields.
validate your so then press conti	oftware, please enter the following information, inue.	Give your e-mail address.
First Name:	John	Input the product Serial
Last Name:	Doe	Number.
EMail:	xyz@company.com	Tip: Paste it if you copied it earlier.
Serial Number:	1217185437	
Continue	Contact Webmaster	

Click the Continue button.

datacolor I

Pigment Plus.		This screen verifies that the
Your Order Number is 123456.		serial number is valid and
Please verify that this purchase information is c	orract If your pay questions click	displays information about the
"Contact Webmaster".	orrect. II your nave questions, thick	product.
Press Continue to validate your software.		Click the Continue button to
		proceed.
Continue		
Back	Contact Webmast	er

ODBC Data Source Administrator



Validate		/ /	to the Validation Screen on our computer.
Unlock Response Number:	19539235-111071	7089	
Please enter the above Unlo section of your Datacolor So	ck Response Number into the U ftware validation screen.	nlock Response	p: You can copy this number the clipboard and paste it to the Validation Screen.
An email has been sent to bl transaction. Please keep this	binder@datacolor.com with confi s for your records.	rmation of this	
Validate Another	Close This Window	Contact W	ebmaster

After you have entered the Unlock Response Number into the Validation Screen, your software is validated. You can validate additional programs by selecting the Validate Another option

ODBC Data Source Administrator

datacolor **____**