## datacolor

# **Datacolor® Match Textile**

Smart Color Matching for Textiles



#### Powerful and accurate color matching software

For color professionals in the textile industry, Datacolor® Match Textile provides enhanced functionality and greater ease of use. Optimize textile recipes based on your customer's needs and improve efficiencies with networked color management. Boost productivity and save time and money by streamlining your color development process with one complete solution backed by global, industry specific application support.

Proven cost reductions:

With its leading-edge Smart Match algorithms, Datacolor Match Textile offers superior first shot matches, reducing the need for correction. Additional benefits include:

- Faster throughput of lab requests
- Fewer lab dyeings
- Self-learning system that captures reality
- Up to 50% increase on first shot matches



#### **Datacolor Match Textile**

#### **Streamline Color Development**

Ensure accurate color throughout the dyeing process

Datacolor Match Textile significantly increases the accuracy of recipe calculation and speeds up the color matching process, resulting in improved productivity and lower costs.

#### Cost and quality optimized

Grouped formulation settings allow customers to easily optimize matching results, eliminate errors and ensure faster color approval.

#### **Increase Efficiency**

Save time & money with easy-to-create recipe results

The SmartMatch algorithms offer superior first shot matches, reducing the need for corrections. This results in decreased raw material consumption and faster throughput

Intuitive access to tutorials and superior functionality

Improved user-interface and interactive tutorials offer increased productivity, reducing the learning curve.

#### **Ensure Consistency**

Quickly address challenging lab requests

Gain valuable time and competitive advantage by quickly exchanging recipes and reflectance data using Datacolor Match Textile's recipe communication features.

#### Reduce corrections by working with process-related standards

Shade variation that results from post-dyeing process can be accounted for by applying Offset data to the initial formulation. By applying Offset data to any given standard, matching the right target every time is assured.

## datacolor

#### **Datacolor Match Textile**

#### **Key features**

Match Textile's unique features and flexible configuration options enable the software to be tailored to meet each individual user's requirements.

- Intuitive user interface
- User-defined recipe status values
- Enhanced recipe exchange
- Customer-specific matching parameters
- Built-in history to track recipe quality
- Offset matching
- Color constancy optimization
- Multi-illuminant match for reduced metamerism
- Optimize dH for single/multiple illuminants
- Standard and Smart Match recipes in parallel
- Detailed tutorials and informative Tips of the Day
- Dye compatibility management to ensure use of preferred dyes
- 3-D graphics to support dyestuff selection

Datacolor Match Textile is offered at different functionality levels to satisfy individual customer requirements. The Essentials level serves all general color matching needs and comes bundled with Datacolor Tools Plus color QC software.

Standard Concernent Concerne Concerne Concernent <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
Datry/System Dacrom   Substrate (factor) Dacrom 1001 (1 00)   Process (factor) Dacrom 1001 (1 00)   Substrate (factor) Dacrom 2002 (1 00)   Gravia CLC 2: CDBS ; Optimization: dE first Huminari   EC(M) DBS 0.03 0.01 0.03 0.01 0.03 0.01 0.01 0.02 0.00 0.03 0.00 0.00 0.01 0.02 0.00 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
Decket (actor) Decket 1 001						
Uncess (foldor) Disperse Exhaust (Dispersiol (1.00)   Growla CUC 210963 (3dmitschool 6 first Illumination 1000 (33) (30) (33) (30) (33) (30) (30) (						
Onrule CuiC 2:10951; generation: eff freit humant   EXCRD D65 0.3 0.00 0.01 0.03 0.00 0.03 0.00 0.01 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.00 0.01 0.01 0.00 0.01 0.						
BE(CMC) DB5 0.30 0.00 0.01 0.01 0.01 0.00 0.03 0.01 0.00 0.03 0.01 0.00 0.03 0.01 0.00						
LickCore 0.00 -0.01 -0.00 -0.01 -0.00 -0.01 -0.00 -0.01 -0.00 -0.01 <	0.00 0.03	0.02	0.00	0.00	0.01	0.00
CICADC (D85) 0.00 -0.00 0.02 -0.00 0.02 -0.00	-0.00 -0.02				-0.00	-0.00
MicroCode 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 0.00 0.00 -0.02 0.00 -0.02 0.00 -0.02 0.00 <	-0.00 0.02				-0.00	0.00
detametrians Pri 1 0.2 0.19 0.28 0.27 0.31 0.29 0.34 0.20 0.85 0.87   Letemetrians A 0.3 0.55 0.56 0.65 0.	0.00 -0.02				0.00	0.00
Attemptions A 0.3 0.83 0.56 0.66 0.65 0.56 0.57 0.56 0.57 0.56 0.50 50.0	0.87 0.88				2 40	2.59
Open Constancy Index 3.44 3.43 3.41 3.44 3.44 3.43 3.45 3.44 3.44 3.46 3.45 3.46 3.45 4.56<	0.56 0.55				0.51	0.78
Systut/ Compatibility Index 0 50.0	3.37 3.38				3.32	3.36
Treat 0.0 44.33 44.57 44.51 44.51 44.57 44.51 44.57 44.51 44.57 44.51 44.57 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 45.57 43.96 43.56 4	50 00 50 00				50.00	50.00
Trail 2 F I </td <td>43.49 43.93</td> <td>43.93</td> <td>42.84</td> <td>43.27</td> <td>42.73</td> <td>36.55</td>	43.49 43.93	43.93	42.84	43.27	42.73	36.55
Dysetuitt 2(3) 1(3) 2(3) 4(2) 6(3) 5(3) 11(3) 7(3) 8(3)   farsal Compa 2RL, farsal Compa 2RL, farsal Compa 2RL, farsal Res R 0.0014 0.0039 0.0149 0.0019 0.0149 0.0149 0.0149 0.0149 0.0149 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0142 0.0203 1.22004 1.2309 1.2304 1.2005 1.2305 1.2305 0.0142 0.0142 0.0142 0.0142 0.0203 1.0204 1.2005 1.2305 1.2305 0.0142 0.0142 0.0142 0.0203 1.2305 1.2305 0.0142 0.0203 1.0204 1.0205 1.2305 1.0304		-	-			
Install Verball 0.0014 0.0039 0.0019 0.0019   Install Ontoge 20 0.0039 0.0039 0.0149 0.0015   Install Red SD 1.3009 1.3017 1.2074 1.313 1.2682 1.3119 1.3094 1.2090 1.2790   Install Red R 0.0019 0.0196 0.0196 0.0190 0.0174 0.0023   Install Red R 0.0019 0.0196 0.0196 0.0190 0.0191 0.0203   Install Red R 0.0174 0.0195 0.0196 0.0190 0.0191 0.0200 0.0203   Install Red Red SD. 0.0175 0.0196						
Transi Ornoga 2014. 0.0009 0.0149 0.0149   Transi Red SO 1.3099 1.3011 1.3274 1.3323 1.3284 1.3099 1.2090	9(3) 10(2)	10(2)	12(3)	13(3)	14(3)	15(3)
transl dec 50 table 50				0.0243		
Imaal Back R 1.3399 1.3311 1.3282 1.3119 1.3394 1.2302 1.2399 1.2302 1.2399 1.2394 1.2392 1	0.0040				0.0696	
Terrard Bird, Blue 202, 2005; 0.0199 0.0142 0.0022   Terrard Bird, Blue 3PA, 0.0176 0.0196 0.0191 0.0199   Terrard Work BL, 0.0174 0.0195 0.0191 0.0199 0.0191   Terrard Work BL, 0.0008 0.0191 0.0008 0.0196 0.0195			0.0144	ł		0.2173
erasil Bril. Blue 3R. 0.0174 0.0195 0.0196 0.0191 0.0199 0.0191 0.0200 erasil Bluck SRL 20% 0.0136 0.0155	1.2744 1.2913	1.2913	1.2476	1.1756	1.1052	0.8172
erss/ Violet BL 0.0220 0.0136 0.0155						
erasil Black SRL 230% 0.0136 0.0155						
				0.0706	0.0764	0.0790
Recipe wthD65	0.0156 0.0152	0.0152	0.0158			
Standard with D65						
Disperse Terasil		m				

## datacolor

### **Datacolor Match Textile**

#### **Dyeset preparation functions**

- Chemicals stored during dyeset preparation
- Up to 16 levels for dyestuff characterization
- · Ingredient compatibility manager
- Dyeset quality analysis

### Advanced formulation function


- Create recipes for exhaust, continuous and pad batch dyeing, printing and fiber blending
- Advanced recipe history, data sorting and search capabilities
- Multiple recipe optimization options including weight of dH and color constancy
- Customer-dependent settings for match prediction can be stored
- User-defined recipe status and location
- Export features including theoretical curves and export to MS-EXCEL
- Offset matching for any standard

#### **Superior recipe correction functions**

- · Correct one or all parts of a blended fabric
- Colorimetric analysis for corrective decisions
- · Shade correction based on minimized dH
- Offset standards for process-dependent recipe correction

# Optional available as feature packages

- Batch matching and fast correction
- Manual recipe input
- Storage and use of additional effects (substrate, etc.)
- Advanced Smart Match with automated housekeeping
- Multi-illuminant and multi-color match
- Create dyestuff groups based on dyestuff technical data
- Work with fixed dyestuff relationships and concentration limits
- Complete lab dyeing procedures



"Match Textile offers advanced colorant set preparation for a variety of textile coloration methods ranging from exhaust, continuous and pad batch dyeing to printing and fiber blending"

#### System requirements

Component	Recommended			
Operating System	Windows 10 and 11 (Pro or Enterprise Only)			
Required Framework	Microsoft .NET Framework 4.7.2 or higher			
Processor	Dual Core or higher (See Windows Operating System Requirements)			
Memory	8 GB or more			
Hard drive	500 GB			
Display	1920x1080 - size of text only 100% supported			
Graphic card	Graphic card supporting OpenGL 2.1			
Connections	Serial, USB, Bluetooth or Ethernet (Depending on spectrophotometer model)			
Server OS	Windows Server 2016, 2019, 2022			
Additional Requirements	SQL Server 2012 to 2019			
Internet Connection	Internet access recommended for software updates and license activation			

Note: Lower system configurations may limit performance, data capacity and operation of some features. Faster processor, more memory and faster hard drives will significantly enhance performance.

For more information, please visit www.datacolor.com

